



ME[®] LINE


CONTENTS

CLEANSING	
MELINE® Gentle Foam	6
PROFESSIONAL TREATMENTS	
00 CELL REPOLARIZATION	
MELINE® 00 Prep	
01 DEPIGMENTATION TREATMENTS	
MELINE [®] 01 ID	
MELINE® 01 Caucasian skin	
MELINE® 01 Ethnic skin	
MELINE® 01 Spots	
MELINE [®] 01 Dark Circles	
MELINE® 01 Intimate	
MELINE [®] 01 Restore	22
MELINE® 01 Moist	23
HOME CARE TREATMENTS	
02 DEPIGMENTATION TREATMENTS	
MELINE® 02 Caucasian Skin Day	25
MELINE® 02 Caucasian Skin Night	
MELINE® 02 Ethnic Skin Day	27
MELINE® 02 Ethnic Skin Night	
MELINE® 02 Spots	29
MELINE [®] 02 Dark Circles	
MELINE® 02 Intimate	
03 RECOVERY & HYDRATION	
MELINE® 03 Restore	
MELINE® 03 Moist	
04 PROTECTION & CONTROL	
MELINE [®] 04 B.B. Cream Light/Medium	
05 MAINTENANCE & OPTIMIZATION	
MELINE® 05 Pigment home Mask	

SYMBOLS

The numbers on MELINE® products are there for a reason. They refer to both the order they should be applied and their function:

00: Skin preparation
01: Professional treatments
02: Post-professional treatments
03: Recovery and hydration
04: Protection and control
05: Maintenance and optimization



ME[®] LINE

OUR ESSENCE

The first and only range of specialized treatments for every different kind of skin pigmentation, whether melanic or melano-hematic, based on phototype, pigmentation type and part of the body affected. Our treatments are easy to apply, providing fast and effective results, proven through "in vitro" and "in vivo" clinical trials.

CLEANSING

GENTLE FOAM

Facial cleanser to prepare the skin before applying any MELINE[®] products.



- High-performance cleanser.
- Balances uneven pigmentation.
- Energizing effect.



Active Ingredients Dexpanthenol, Bisabolol, Combination of Essential Minerals.

Mode of Action

MELINE[®] Gentle Foam reinforces cell-to-cell communication, thereby preparing intercellular spaces to improve the penetration of the active ingredients. Furthermore, it has a chrono-energizing effect, reduces glycation and oxidative processes, thus contributing to establish the first steps to control the biochemical reactions that may stimulate the melanocyte.

Treatment Protocol

Use before any professional or at-home skin care treatments.

Application Protocol

Wet the skin with lukewarm water and apply a small amount of product, massage for some minutes and rinse off.

USE Professional / Home

ZONE

Face and body

CONTAINER Dispenser

CAPACITY 150ml - 5.07 fl.oz

CELL REPOLARIZATION





The specificity of the actives contained in MELINE® 00 Prep enables the modification of the skin permeability and polarity, immediately thinning the stratum corneum and re-establishing the correct function of the skin barrier. It also hydrates the skin and has antioxidant properties that help to prepare the skin for the depigmenting treatment.

CELL REPOLARIZATION



Cell repolarizing solution that reverses the skin polarity.

Indications

- To increase skin permeability.
- Skin preparation before MELINE® depigmenting treatments.



Active Ingredients Nonapeptide-1, Lactobionic Acid, Ferulic Acid.

Mode of Action

A product developed to enable easier active ingredient absorption into the skin prior to applying the controlled chemical dermabrasion MELINE® 01. Its ingredients enable quick and effective cell repolarization, favouring the subsequent activity of the MELINE® 01 ingredients.

Treatment Protocol

A solution to permeabilise the epidermis used prior to applying the $\mathsf{MELINE}^{\circledast}$ 01 treatments.

Application Protocol

After cleansing and degreasing the skin with MELINE® Gentle Foam uniformly apply the contents of one ampoule of MELINE® 00 Prep on the area to treat with a brush. Leave on to act for 3 minutes. There is no need to remove it before applying any of the MELINE® 01 depigmenting treatments.

USE Professional

ZONE Face and body

CONTAINER Ampoulles

CAPACITY 6 x 2ml 0,40 fl.oz



][

There is a wide variety of skin types, each with their unique characteristics. Depending on its phototype, the skin reacts in different ways to endogenous and exogenous factors that can cause hyperpigmentation on face and body. To respond to the needs of professionals, MELINE offers a wide range of products to treat each specific case.

PROFESSIONAL DEPIGMENTATION TREATMENTS



Transdermal release solution to aid depigmenting treatments.



.

Active Ingredients Tranexamic Acid, Glutathione, Ascorbic Acid, Magnesium.

Mode of Action

The combination of its ingredients achieves antioxidant and antiinflammatory effects that lead to the inhibition of melanocyte synthesis and tyrosinase enzyme. It also causes depigmentation through pheomelanin pathway acceleration and the biochemical reduction of the deposited pigment.

Treatment Protocol

Apply an ampoule every 10 days.

USE Professional

ZONE Face and body


CONTAINER Ampoules

CAPACITY 6 x 2ml 0,40fl.oz

APPLICATION PROTOCOL



In-Office







Finally, apply MELINE® 04 B.B. Cream.

01 CAUCASIAN SKIN

Professional chemical dermabrasion mask for skin phototypes I-III.

Indications

 Melasma/chloasma treatment for patients with phototype I – III.



Active Ingredients

Tranexamic Acid, Retinal, Arbutin, Kojic Acid, Azelaic Acid.

Mode of Action

Its active ingredients provide strong control and inhibition action against melanin synthesis, intervening in the pre-synthesis processes, directly inhibiting the tyrosinase enzyme, degranulating the intra-keratinocyte pigment, and favouring epidermal turnover and the removal of pigmented cells.

Treatment Protocol

Perform 3 treatment sessions in total. The 2nd session should be performed after 30 days from the 1st one and the 3rd session after 6 to 8 months, following the directions in the chart below.

Start using MELINE® 02 Caucasian Skin products at home right after the 1st session.

INTERVAL	SESSION	LEAVE-ON TIME
1st session	1st	30min
After 30 days	2nd	45min
After 6 to 8 months	3rd	45min

USE

Professional

ZONE Face

CONTAINER Airless

CAPACITY 20g 0,7oz

APPLICATION PROTOCOL

In-Office



Step

Cleanse the skin thoroughly with MELINE® Gentle Foam.





Pour the content of one ampoule of MELINE® 00 Prep into a bowl and apply with a brush on dry skin. Let it act for 3 minutes.

ME° LINE



Step

Apply a layer of MELINE® 01 Caucasian Skin on the entire face. After 15 minutes, apply a 2nd layer on the areas with melasma. Leave-on times are in the previous page.



	ΔL
Step	Ч

Cleanse the skin with MELINE® Gentle Foam. Then, apply MELINE® 01 Restore and massage until absorbed.



04 B.B. Cream.

Follow-up at home



Step

MELINE[®] Gentle Foam



Apply some drops of **MELINE® 01** Moist, spread the product forming a

thin layer and leave it to dry.

MELINE® 02 Caucasian Skin Day/Night



MELINE[®] 03 Restore



Step

MELINE® 03 Moist



MELINE® 04 B.B. Cream



MELINE® 05 Pigment Home Mask

PROFESSIONAL DEPIGMENTATION TREATMENTS

01 ETHNIC SKIN

Professional chemical dermabrasion mask for skin phototypes IV-VI.



Indications

• Melasma/chloasma treatment for patients with phototype IV – VI.

Active Ingredients

Tranexamic Acid, Retinal, Pyruvic Acid, Ascorbic Acid, Salycilic Acid.

Mode of Action

Its elements combine to provide total control over irritation and inflammatory activity, forming a product with outstanding melanin synthesis inhibitory action with epithelial turnover, but without the risk of rebound pigmentation, a significant aspect when treating ethnic skin.

Treatment Protocol

Perform 3 treatment sessions in total. The 2nd session should be performed after 30 days from the 1st one and the 3rd session after 6 to 8 months, following the directions in the chart below.

Start using $\mathsf{MELINE}^{\circledast}$ 02 Ethnic Skin products at home right after the 1st session.

INTERVAL	SESSION	LEAVE-ON TIME
1st session	1st	30min
After 30 days	2nd	45min
After 6 to 8 months	3rd	45min

USE

Professional

ZONE Face

CONTAINER Airless

CAPACITY 20g 0,7oz

APPLICATION PROTOCOL

In-Office



Step

Cleanse the skin thoroughly with MELINE® Gentle Foam.

Step

Pour the content of one ampoule of MELINE[®] 00 Prep into a bowl and apply with a brush on dry skin. Let it act for 3 minutes.

ME° LINE



Step

Apply a layer of MELINE® 01 Ethnic Skin on the entire face. After 15 minutes, apply a 2nd layer on the areas with melasma. Leave-on times are in the previous page.

Apply some drops of **MELINE® 01** Moist, spread the product forming a

thin layer and leave it to dry.



Step	L	ľ

Cleanse the skin with MELINE® Gentle Foam. Then, apply MELINE® 01 Restore and massage until absorbed.



Finally, apply **MELINE®** 04 B.B. Cream.

Follow-up at home



MELINE[®]

Gentle Foam

Step



MELINE[®] 02 Ethnic Skin Day/Night



MELINE[®] 03 Restore



Step

MELINE® 03 Moist



MELINE® 04 B.B. Cream



MELINE® 05 Pigment Home Mask

PROFESSIONAL DEPIGMENTATION TREATMENTS



STEP 1: 5ml + STEP 2: 7g

Two-step depigmenting kit for solar lentigines.



Indications

- Solar lentigines.
- Hyperkeratosis treatment.

Active	Ingredients
,	in ign o anon ico

Step 1: <u>Tranexamic Acid</u>, Azelaic Acid, Resorcinol. Step 2: <u>Pyruvic Acid</u>, Salicylic Acid.

Mode of Action

The synergic actions of its active ingredients gently penetrate the skin in order to eliminate specific skin lesions, such as lentigines and hyperkeratosis.

Treatment Protocol

Perform one treatment session following the directions in the application protocol. If necessary, a second session can be performed after 45 days.

STEP 1	STEP 2
USE	USE
Professional	Professional
ZONE	ZONE
Face and	Face and
body	body
CONTAINER	CONTAINER
Vial	Jar
CAPACITY	CAPACITY
5ml 0,18fl.oz	7g 0,24oz

APPLICATION PROTOCOL

Step |



In-Office









Apply a thick and homogeneous layer of **MELINE® 01 Spots Step 2**, cover it with an occlusive plaster and leave it on for 1 hour.

Follow-up at home



MELINE® Gentle Foam



MELINE[®] 02 Spots



MELINE® 03 Restore



MELINE® 03 Moist



MELINE[®] 04 B.B. Cream

01 DARK CIRCLES

STEP 1: 5ml + STEP 2: 5ml

Specific depigmentation kit for periocular pigmentations.



Indications

• Improves and attenuates dark circles.

Active	Ingredients
ACUVE	ingreaterits

Step 1: <u>Chloroacetic Acid</u>, Lactic Acid. Step 2: <u>Retinal</u>, Ascorbic Acid, Phytic Acid.

Mode of Action

Combination of exfoliating active ingredients with depigmenting properties that attenuate skin darkening in the periorbital region.

Treatment Protocol

Perform 4 treatment sessions at 15 days intervals. The 2nd day after the first session, start the home maintenance treatment with MELINE® 02 Dark Circles.

STEP	1
------	---

USE Professional **USE** Professional

STEP 2

ZONE

area

Periocular

ZONE Periocular area

CONTAINER Vial

Vial

CONTAINER

CAPACITY 5ml 0,17fl.oz **CAPACITY** 5ml 0,17fl.oz

APPLICATION PROTOCOL

In-Office



Step



Step





Use a cotton swab to apply 2-3 layers of MELINE® Dark Circles Step 1 on the periorbital region and leave it to dry.



Step

Apply 2-3 layers of MELINE® Dark Circles Step 2 and leave it to dry. Wait for 15 minutes before rising it off with water.



Apply MELINE® 01 Restore and

int RESIDER



massage until absorbed.





Apply some drops of MELINE® 01 Moist, spread the product forming a thin layer and leave it to dry.

Follow-up at home



MELINE[®] Gentle Foam



MELINE® 02 Dark Circles



MELINE® 03 Restore



MELINE[®] 03 Moist



MELINE[®] 04 B.B. Cream



ME° LINE

PROFESSIONAL DEPIGMENTATION TREATMENTS



Balances uneven pigmentation in the intimate areas.



Active Ingredients

Tranexamic Acid, Retinal, Lactobionic Acid, Mandelic Acid.

Mode of Action

The combination of its ingredients provides potent depigmenting and antioxidant activity, effectively reducing hyperpigmentation in the genito-anal region.

Treatment Protocol

Perform 3 treatment sessions at intervals of 21 days following the directions in the application protocol. Three days after in-office treatment, the patient should start to apply MELINE[®] 02 Intimate, preferably morning and night.

USE Professional

ZONE Body

CONTAINER Vial

CAPACITY 6 x 2ml 0,40fl.oz

APPLICATION PROTOCOL

In-Office



Follow-up at home



MELINE® 02 Intimate



MELINE® 03 Restore



MELINE® 03 Moist

PROFESSIONAL DEPIGMENTATION TREATMENTS

01 RESTORE

Restores the physiological conditions of the skin minimizing the risk of rebound effects after treatment.



Indications

Skin recovery.

• Pigment rebound prevention.

Active Ingredients

Rosa Rubignosa, Aloe Vera, Arnica, Centella Asiatica, Glycyrrhetinic Acid.

Mode of Action

This formula combines selected actives that effectively promote skin healing and collagen production. Thus, it perfectly restores the natural skin condition.

Treatment Protocol

Use right after the administration of a MELINE® depigmenting treatment, following the directions in the application protocols.

Application Protocol

Gently massage the product on the skin until completely absorbed.

USE Professional

ZONE Treated skin area

CONTAINER Dispenser

CAPACITY 250g 8,45oz

PROFESSIONAL DEPIGMENTATION TREATMENTS

01 MOIST

Occlusive serum to rebalance skin moisture and improve the penetration of the depigmenting actives.



Indications

- Skin occlusion.
- Wound healing.

Active Ingredients Fragmented Hyaluronic Acid.

Mode of Action

The hyaluronic acid restores the skin moisture balance, reorganize the skin tissue, stimulate cell repair and skin neovascularization.

Treatment Protocol

Use right after the administration of a MELINE[®] depigmenting treatment, following the directions in the application protocols.

Application Protocol

Spread the product across the treated skin area forming a thin layer.

USE Professional

ZONE Treated skin area

CONTAINER Dispenser

CAPACITY 250ml 8,45 fl.oz



MELINE® 02 products have been formulated to work in synergy with MELINE® professional treatments, optimizing their efficacity and maintaining long-lasting results. The potent depigmenting action of these serums and emulsions complements the effects of the products applied in-office, and they are crucial for the success of the treatments.



02 CAUCASIAN SKIN

DAY

30ml

Skin bightening serum for phototypes I-III.



Indications

- Improves and delays the appearance of pigmentations in skin phototypes I-III.
- Reduces melanin deposits.

Active Ingredients

<u>Tranexamic Acid</u>, Glutathione, Kojic Acid, Copper Tripeptide, Lactobionic Acid, Phytic Acid.

Mode of Action

The combination of its active ingredients provides a strong tyrosinase enzyme inhibition effect, leading to reduced pigment synthesis. They also promote pigmented keratinocyte degranulation and removal.

Treatment Protocol

Use the product for at least 90 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the skin with MELINE[®] Gentle Foam, apply on the entire face and massage until completely absorbed. Allow it to dry. It is recommended to apply the MELINE[®] 03 Moist occlusive repair product and MELINE[®] 04 B.B. Cream.

USE

Home

ZONE Face

CONTAINER Dropper

CAPACITY 30ml 1,01fl.oz

02 CAUCASIAN SKIN

NIGHT

20g

Night depigmenting emulsion for skin phototypes I-III.

Indications

- Improves and delays the appearance of pigmentations in skin phototypes I-III.
- Inhibits tyrosinase enzyme expression, in turn inhibiting melanin synthesis.



Active Ingredients

Retinal, Arbutin, Azelaic Acid, Melanostatine-5, Thioctic Acid, Magnesium.

Mode of Action

The synergic effect of its ingredients effectively reduces the mRNA transcription required for tyrosinase synthesis, leading to effective melanin synthesis inhibition.

Treatment Protocol

Use the product for at least 90 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the skin with MELINE[®] Gentle Foam, apply a thin layer over the entire area, massaging it in until fully absorbed. In case of irritation, use every two days for two or three weeks, before continuing to apply it daily.

USE Home

ZONE Facial

CONTAINER Airless

CAPACITY 20g 0,7oz

HOME USE DEPIGMENTATION TREATMENTS



02 ETHNIC SKIN

DAY

30ml

Skin brightening serum for phototypes IV-VI.

Indications

- Improves and delays the appearance of pigmentations in skin phototypes IV-VI.
- Reduces melanin deposits.



Active Ingredients

Tranexamic Acid, Glutathione, Pyruvic Acid, Phytic Acid, Salicylic Acid, Phenylalanine.

Mode of Action

The combination of its active ingredients enhances antioxidant and anti-inflammatory activity and inhibits the tyrosinase enzyme, leading to reduced pigment synthesis. They also promote pigmented keratinocyte degranulation and removal.

Treatment Protocol

Use the product for at least 90 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the skin with MELINE[®] Gentle Foam, apply on the entire face and massage until completely absorbed. Allow it to dry. It is recommended to apply the MELINE[®] 03 Moist occlusive repair product and MELINE[®] 04 B.B. Cream.

USE

Home

ZONE Face

CONTAINER Dropper

CAPACITY 30ml 1,01fl.oz

02 ETHNIC SKIN

NIGHT

20g

Night depigmenting emulsion for phototypes IV-VI.



Indications

- Improves and delays the appearance of pigmentations in skin phototypes IV - VI.
- Inhibits tyrokinase enzyme expression, in turn inhibiting melanin synthesis.

Active Ingredients

Retinal, Arbutin, Ascorbic Acid, Melanostatine, Mandelic Acid, Niacinamide.

Mode of Action

Its ingredients effectively reduce the mRNA synthesis required for tyrosinase production, which when stopped, reduces melanin synthesis too. They also block melanosome release, along with clearing and homogenising the pigment.

Treatment Protocol

Use the product for at least 90 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the facial skin with MELINE[®] Gentle Foam, apply a thin layer on the entire face, massaging it in until fully absorbed. In case of irritation, use every two days for two or three weeks, before continuing to apply it daily.

USE Home

ZONE Face

CONTAINER Airless

CAPACITY 20g 0,7 fl.oz

HOME USE DEPIGMENTATION TREATMENTS



02 SPOTS

Whitening gel-like formula for solar lentigos.

Indications

- Improves and optimizes the depigmenting effects of MELINE® 01 Spots.
- Enhances treatment for solar lentigines and hyperkeratosis.



Active Ingredients

Tranexamic Acid, Retinal, Phenylethyl Resorcinol, Phytic Acid, Melanostatine-5.

Mode of Action

The potent activity of its ingredients controls melanin synthesis and pigment deposits, along with regulating the harmful action of reactive oxygen species and nitrogen radicals, which are involved in the genesis and permanence of the pigment lesion.

Treatment Protocol

Use the product for at least 30 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the skin with MELINE® Gentle Foam, apply a small amount to the affected area twice a day, morning and night.

USE Home

ZONE Face and

body

CONTAINER Roll-on

CAPACITY

10ml 0,34 fl.oz

02 DARK CIRCLES

Dark circles and periocular pigmentation remover.



Indications

• Solves pigmentary disorders in the periocular area after MELINE® 01 Dark Circles.

Active Ingredients

Tranexamic acid, Arbutin, Ginkgo Biloba, Troxerutin, Flavomnoids, Ruscus Aculeatus.

Mode of Action

Combination of depigmenting actives that have been selected for their high skin tolerability in the periorbital region. Improves and attenuates dark circles, reduces melanin deposits and melano-hematic pigmentations. Furthermore, stimulates cell division thereby helping to reduce the visible signs of skin photoaging.

Treatment Protocol

Use it for at least 60 days, starting the 2nd day after having been treated with MELINE° 01 Dark Circles.

Application Protocol

Apply in the mornings and nights after cleansing the skin with MELINE[®] Gentle Foam. Form a layer on the periorbital region and leave it to dry. Do not remove.

USE Home

ZONE Periocular area

CONTAINER Roll-on

CAPACITY 10ml 0,34 fl.oz

HOME USE DEPIGMENTATION TREATMENTS



02 INTIMATE

Concentrated gel for erasing pigmentation in the delicate areas.

Indications

• Corrects hyperpigmentation in the genito-anal region.



Active Ingredients

<u>Tranexamic Acid</u>, Retinal, Lactobionic Acid, Kojic Acid, Melanostatine, Arbutin, Hyaluronic Acid.

Mode of Action

Its ingredients effectively reduce melanin synthesis and subsequently reduce pigmentation in the genito-anal region.

Treatment Protocol

Use the product for at least 90 days. The professional will determine the exact treatment duration.

Application Protocol

After cleansing the intimate region, apply a small amount of the product on the treatment area forming a thin layer. Apply at night.

USE Home

ZONE Intimate

CONTAINER Roll-on

CAPACITY 20ml 0.68 fl.oz



Products that effectively restore skin hydration, texture and firmness helping to rebalance the dermis after a depigmenting treatment minimizing the risk of rebound effects. Moreover, they stimulate the skin cells physiological functions improving the nutrition and organization of the tissues, ensuring a fast recovery.

HOME USE RECOVERY AND HYDRATION TREATMENT



03 RESTORE

Restores the physiological conditions of the skin minimizing the risk of rebound effects after treatment.

Indications

- Skin recovery.
- Pigment rebound prevention.

Image: State State

Active Ingredients

Rosa Rubignosa, Aloe Vera, Arnica, Centella Asiatica, Glycyrrhetinic acid.

Mode of Action

This formula combines selected actives that effectively promote skin healing and collagen production. Thus, it perfectly restores the natural skin condition.

Treatment Protocol

Use in the morning and night for at least 10 days, following the directions of the professional.

Application Protocol

Gently massage the product on the skin until completely absorbed.

USE

Home care

ZONE

Treated skin area

CONTAINER Jar

CAPACITY 30g 1,06oz

HOME USE RECOVERY AND HYDRATION TREATMENT

03 MOIST 30ml

Occlusive serum to rebalance skin moisture and improve the penetration of the depigmenting actives.

Indications

Skin occlusion.
 Wound bogling

• Wound healing.



Active Ingredients Fragmented hyaluronic acid.

Mode of Action

The hyaluronic acid restores the skin's moisture balance, organise the skin tissue, stimulate cell repair actions, and stimulate skin tissue neo-vascularisation.

Treatment Protocol

Use throughout the entire treatment phase. It can also be use three months a year to restore skin hydration and moisture.

Application Protocol

Apply twice a day, spreading the solution on the treated area.

USE Home

ZONE Face and body

CONTAINER Dropper

CAPACITY 30ml 1,01fl.oz

PROTECTION & CONTROL





Sun protection creams with a make-up base to mask imperfections. The B.B. CREAM initials come from Blemish Balm, a balm for imperfections. These creams manage to correct imperfections, hydrate, brighten the face, and act as a sunscreen. The concept involves combining three products in one: a specific treatment, a moisturising cream, and foundation makeup.

04 B.B. CREAM LIGHT / MEDIUM

30g

Correction and sun protection cream with SPF 30. Available in two shades.

Indications

- Suitable sun protection when treating hyperpigmentation.
- Skin corrector
- LIGHT: types I III.
- MEDIUM: types IV VI.



Active Ingredients

Octocrylene, Butyl Methoxydibenzoylmethane, Bran Oil, Oryza Sativa, Retinol, Rosa Moschata Seed Oil, Biotin.

Mode of Action

Its active ingredients combine to hydrate and revitalise the skin tissue, along with protecting it against ultraviolet radiation activity.

Treatment Protocol

Apply in the morning and reapply once or twice a day depending on your skin's needs and exposure to the sun. It is important to use it every day to protect the skin from the harmful effects of ultraviolet radiation on the skin tissue.

Application Protocol

Uniformly apply small doses with your fingers or using a make-up sponge if possible. It is not required to apply a moisturizer before this product but if you need extra hydration use MELINE[®] 03 Moist first and once absorbed apply MELINE[®] 04 B.B. Cream. USE

Home

ZONE

Face and body

CONTAINER Airless

CAPACITY 30g 1,06oz





Facial mask that boosts the effects of the overall treatment. Its active ingredients regulate the synthesis and deposition of the melanin, visibly helping to even the skin tone. This formula also favors the absorption of MELINE® Home care products.

05 PIGMENT HOME MASK

Home use depigmenting mask to complement the professional treatment.

Indications

- Potent ingredients with depigmenting and antioxidant activity.
- Boosts professional treatments for skin pigmentations.



Active Ingredients

Tranexamic Acid, Retinal, Lactobionic Acid, Salicylic Acid, Mandelic Acid, Phytic Acid.

Mode of Action

The mask ingredients provide synergic activity in order to promote epidermal cell turnover, degranulate the melanin pigment deposited in the tissue, and inhibit melanin synthesis activity in the melanocyte.

Treatment Protocol

Apply once a week before MELINE® 02 treatments. The professional will determine the duration of use.

Application Protocol

Cleanse the face with MELINE[®] Gentle Foam, apply the mask and leave it on for 45 minutes before removing the product with warm water.

USE Home

ZONE Face


CONTAINER Jar

CAPACITY 30g 1,06oz



GENERAL PROTOCOL

CAUCASIAN SKIN ETHNIC SKIN



GENERAL CHART

	10 HE 22 . 1			Sire and a sub-	a Zve B			(art)				
	GENTLE FOAM	PREP	ID	CAUCASIAN SKIN	ETHNIC SKIN	SPC Step 1	DTS Step 2	DARK CIRCLES Step 1 Step 2	INTIMATE	RESTORE	MOIST	INTIMATE
Phase	Cleansing	00	01	01	01	0	1	01	01	01	01	02
Container	Dispenser	Ampoules	Ampoules	Airless	Airless	Vial	Jar	Vial	Amp.	Dispenser	Dispenser	Roll-on
Capacity	150ml	2ml	2ml	20g	20g	5ml	7g	5ml	2ml	250ml	250ml	20ml
Use	Prof./ Home	Prof.	Prof.	Prof.	Prof.	Pr	of.	Prof.	Prof.	Prof.	Prof.	Home
Reference	ME-000F	ME-0001	ME-0107	ME-0101	ME-0102	ME-0103		ME-0108	ME-0106	ME-0110	ME-0109	ME-0208
Solution type	Foam	Liquid	Liquid	Mask	Mask	Liquid Mask		Liquid	Liquid	Cream	Cream	Gel
Zone	Face	Face and body	Face and body	Facial	Facial	Face bo		Periocular area	Intimate	Face and body	Face and body	Intimate

DESCRIPTIONS													
Dermoabrasion			•	•	•	•		•		•			
Hydration Recovery											•	•	
Depigmenting			•	•	•	•	•	•	•	•			•
Sun protection that masks imperfections													
Potentiation Optimization		•					•		•				
Cleansing	•												

MELINE® PRODUCTS



(tobe)	11111		a a haal	4 I I	· site		311	(it it it)	(= s a ())	
CAUCASIAN SKIN DAY	CAUCASIAN SKIN NIGHT	ETHNIC SKIN DAY	ETHNIC SKIN NIGHT	SPOTS	DARK CIRCLES	RESTORE	MOIST	B.B. CREAM LIGHT	B.B. CREAM MEDIUM	PIGMENT HOME MASK
02	02	02	02	02	02	03	03	04	04	05
Dropper	Airless	Dropper	Airless	Sponge Tub	Roll-on	Jar	Dropper	Airless	Airless	Jar
30ml	20g	30ml	20g	10ml	10ml	30ml	30ml	30g	30g	30g
Home	Home	Home	Home	Home	Home	Home	Home	Home	Home	Home
ME-0201	ME-0201	ME-0222	ME-0202	ME-0203	ME-0209	ME-0302	ME-0301	ME-0401	ME-0402	ME-0501
Serum	Emulsion	Serum	Emulsion	Gel	Liquid	Cream	Liquid	Cream	Cream	Mask
Face	Face	Face	Face	Face and body	Periocular area	Face and body	Face and body	Face and body	Face and body	Face

						•	•	•	•	
•	•	•	•	•	•					•
								•	•	
										•



NOTES







www.melineskin.com Version 1. 2020 - ING